PIXMA G2400

More prints for less without compromise

An efficient multi-functional printer, with high yield ink bottles, allowing you to create low cost stunning prints for both documents and photos, at home or in the office.



- The PIXMA G2400 is designed for high volume printing users, with built in copier and scanner capabilities.
- Capable of printing up to, an industry leading, 7000 colour and 6000 black pages from a set of ink bottles.
- Pigment Black and Colour dye inks provide high quality documents. The dye colour inks enable users to create vibrant images and print borderless.
- Sleek, compact design with integrated ink tanks to suit your home or work environment.
- Reliable components ensure cost effective high volume printing for longer without having to change inks.



Product Range



PIXMA G1400 **PIXMA G2400** PIXMA G3400

PIXMA G1400



PIXMA G2400



PIXMA G3400



Technical Specifications

PIXMA G2400

GENERAL SPECIFICATIONS Functions

PRINTER SPECIFIC ATIONS Print Resolution

Print Technology

Mono Print Speed Colour Print Speed Photo Print Speed Borderless Printing

CARTRIDES AND VIELDS Standard Ink Cartridges

Cartridge Yield (Plain paper)

PAPER SUPPORT

Paper Types

Maximum Paper Input Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS

Scanner Type Scanner Resolution (Optical) A4 Scan Speed Scanning Depth (Input / Output) Maximum Document Size COPIER SPECIFICATIONS

Copy Speed

Multiple Copy Copy Functions Copy Zoom

Print, Copy, Scan

Up to 4800 dpi ^[1] x 1200 dpi 2 FINE Cartridges (Black and Colour) Refillable ink tank printer with 2pl (min.) ink droplet size mai 8.8 xoraaA Approx. 5.0 ipm^[2] Borderless 10 cm x15cm : Approx. 60 seconds [3] Yes (A4, Letter, 20 cm x 25 cm, 13 cm x18 cm, 10 cm x15 cm)

GI-490 < PGBK > GI-490 <C> GI-490 <M> GI-490 <Y> A4 colour documents printing ^{[4} Black: 6000 pages Colour: 7000 pages * Estimated supplemental yield

Plain Paper High Resolution Paper (HR-101N) Photo Paper Plus Glossy II (PP-201) Photo Paper Pro Luster (LU-101) Photo Paper Plus Semi-gloss (SG-201) Glossy Photo Paper "Everyday Use" (GP-501) Matte Photo Paper (MP-101) Envelope Rear tray: Max. 100 sheets (plain paper) A4, A5, B5, 10 cm x 15 cm, 13 cm x 18 cm, 20 cm x 25 cm. Envelopes (DL, COM10), Letter, Legal Plain paper: 64 - 105 g/m² Canon photo paper: up to 275 g/m²

CIS flatbed photo and document scanner 600 dpi x 1200 dpi Approx.19 sec Colour: 48 bit / 24 bit Greyscale: 16 bit / 8 bit 216 mm x 297 mm

sFCOT: Approx. 32 sec sESAT: Approx. 1.7 ipm 21 copies (max.) Document copying (plain paper), Borderless Copy Fit to page

INTERFACE

Interface Type - PC / Mac

Supported Operating Systems

Hi-Speed USB (B Port)

Windows 10 Windows 8.1 (including Windows 8.1 Update), Windows 8 Windows 7, Windows 7 SP1 Windows Vista SP2 Windows XP SP3 (32 bit only) Note: For Windows, .NET Framework 4 or .NET Framework 4.5 is required. For Windows XP, XPS Essentials Pack is required Mac OS X v10.7.5 to Mac OS X v10.10 Windows: 3.1 GB disk space, Internet Explorer 8 Mac: Internet connection, 1.5 GB disk space, Safari 5 Display: 1024 x 768 XGA MP Driver including Scanning Utility My Image Garden with Full HD Movie Print [8] Quick Menu Easy-WebPrint EX (download) [9]

PHYSICAL FEATURES

Minimum System Requirements

Software Included

Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption

approx. 5.8 kg approx. 445 mm x 330 mm x 163 mm approx. 46.0dB(A) 5-35°C 10-90 % RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.4 W Standby (connected to PC via USB): Approx. 0.8 W (scanning lamp off) Standby (all ports connected): Approx. 0.8 W (scanning lamp is off) Time to enter Standby mode: 7 minutes

Footnotes

- Ink droplets can be placed with a minimum pitch of 1/4800 inch
- A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
 Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo

Copying: Approx. 11 W

- Paper Plus Glossy II and does not take into account data processing time on host computer. ^[4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous
- printing. Dotical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the maximum scan size is restricted.
- Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.
- Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
- ^[8] Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and in a variable inforvation with a more inside a later of select canon video or digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrow (version 6.5 or later), MP4 files require: ImageBrowser EX (version 1.0 or later). dinital Easy-WebPrint EX requires Internet Explorer 8 or later
- ^[10] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings. ⁽¹¹⁾ When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Standard disclaimers

Standard disclaimers All specifications subject to change without notice. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield Scan speed may vary depending on system configuration, interface, software, scan mode settings and document is a etc. document size etc.

document size etc. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. All brand and product names are trademarks of their respective companies. Microsoft Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2016





More prints for less without compromise

An efficient multi-functional printer, with high yield ink bottles, allowing you to create low cost stunning prints for both documents and photos, at home or in the office.

Sales Start Date: Feb, 2016

PIXMA G2400



Product Details:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
PIXMA G2400 EUM/EMB	0617C009AA	4549292040258	<please fill="" in="" rrp=""></please>	

Optional Accessories:

Product Name	Mercury Code EAN Code Recommended R		Recommended Retail Price
INK GI-490 BK EMB	0663C001AA	4549292041729	<please fill="" in="" rrp=""></please>
INK GI-490 C EMB	0664C001AA	4549292041743	<please fill="" in="" rrp=""></please>
INK GI-490 M EMB	0665C001AA	4549292041767	<please fill="" in="" rrp=""></please>
INK GI-490 Y EMB	0666C001AA	4549292041781	<please fill="" in="" rrp=""></please>





More prints for less without compromise

An efficient multi-functional printer, with high yield ink bottles, allowing you to create low cost stunning prints for both documents and photos, at home or in the office.

PIXMA G2400

Measurement / Logistic Information:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)
PIXMA G2400 EUM/EMB	0617C009AA	EA	Each	1	529.5	484	250	9.15
		CT	Carton	16	1072	981	1010.5	149.4
		EP	Euro Pallet	16	1072	981	1010.5	149.4

What's in the box?

- 3-In One printer- PIXMA G2400 4 High yield ink bottles
- 4 High yield ink bottles
- Power cord
- Set CD-ROM (CD only for Windows)
- Manuals and other documents

